

LAMI Revolution

Revô

Full Auto Laminator

Auto Laminator



Why popularity "LAMI revolution series"



Just push the button and that's it.

No need to always stand aside the laminator, you can laminate as many as you want by simply pressing the button.



**Open mechanism allows.
Easy maintenance and cleaning.**

You can clean internal clogs and glue from film by yourself.



Not only feeding and laminating, But also equipped with an internal cutter that automatically cuts.

Can correspond to various margin sizes with the internal cutter that can set front & rear margin.

Revo is absolutely fast and easy.

Manual laminator

Put the manuscript into the film.
Set in the laminator.
Repeat the above process.

Takes time and labor because it repeats by manual work.

Auto laminator

Put the document.
Press start button.
Just wait.

Able to do the other work while waiting!


The big difference between manual laminator and Revo, with in 1 hour.

Pouch laminator




If using general business laminator you need to stand by the machine all of the time.

Full Auto Laminator Revo-Office



Set the manuscript and press the start button, then just push to advance the lamination and by automation.

Full Auto Laminator Revo-T14



You can spend time for other work with speed and efficiency.




By processing and cutting automatically, it allows overwhelming productivity

Auto laminator "LAMI Revolution "series can laminate and cut all automatically by one-touch. With the compact size, simple operation and speed perfect for office, work efficiency improves much higher. In addition, we can also prepare models that can handle a wide range of document sizes such as large sized posters, and cutting left and right side.



Revo-Office



Size and design are elegant so perfect for office.

Design and size that fits the office allows you to laminate whatever you want, whatever you need with good quality.



Very easy operation by just fitting the cassette.

By the industry's first cassette laminating method, until now anyone can easily exchange film which was a troublesome work. (PAT.P)



Anyone can operate easily with the easy-use operation panel.

Anyone can use it with a simple operation procedure. "Start", "Stop", and functions such as setting the number of sheets can be set easily by simple operation.



LAMI Revolution series



Revō Office

The industry's first cassette laminating system adopted (PAT.P)

HOT	ROLL	Max.width A3	Max. Film thickness 125 μ	Full automatic type
-----	------	-----------------	-------------------------------------	---------------------------

- Reducing labor cost by full automation.
- Simple operation LCD panel.
- Excellent quietness for office use.
- Excellent design, perfect for office.



Revō T14

Achieve outstanding speed and compactness

HOT	ROLL	Max.width A3	Max. Film thickness 125 μ	Full automatic type
-----	------	-----------------	-------------------------------------	---------------------------

- Efficient work by full automation.
- Easy cleaning with an open mechanism.
- High speed realized by W heater method.
- Productivity to finish A4 size 100 sheets within 14 minutes.



Revō 26

High speed auto laminator for A1 size

HOT	ROLL	Max.width A1	Max. Film thickness 250 μ	Semi automatic type
-----	------	-----------------	-------------------------------------	---------------------------

- Side cutter for various sizes.
- Amazing speed as fast as 4.5 m / min.
- Speed realized by W heater method.
- Increase work efficiency by automatic paper feeding function.

LINEUP

Revo Office



Revo T14



Revo 26



Max. laminating width	A3 (305 mm)	A3 (305 mm)	A1 (640 mm)
Max. substrate thickness	50 / 80 / 100 / 125 μ (exclusive film)	50 / 80 / 100 / 125 μ (exclusive film)	32 to 250 μ *2
Max. speed	1,0 m / min (fixed)	1,6 m / min (fixed)	Low speed 2,000 / Medium speed 3,500 / High speed 4,500 mm / min
Laminating temperature	100°C (variable type)	110°C (variable type)	100°C to 150°C
Power consumption	AC 230 V 1,150 W	AC 230 V 1,150 W	AC 230 V 4,000 W
External dimensions [Width × Depth × Height] (mm)	680*1 × 506 × 337	530 × 900 × 420	890 × 660 × 396
Weight	30 kg	35 kg	150 kg
Warm-up time	5 minutes (approx)	5 minutes (approx)	15 minutes (approx)
Heating method	Internal heating system	Internal heating system	Internal heating system

*1 Excluding discharge tray. *2 Auto cut corresponds to only 125 μ .

Stand (option)

<Compatible models>
Revo-Office / Auto Atlas-14T

Easy to move the with casters.
Revo-Office special film possible to
keep exclusive to in the stand.



LAMI CORPORATION INC.

Inquiries

<https://www.lami-corporation.co.jp/english>